

To: Moore, Brian[briamoore@pa.gov]; Nesmith, Rodney[rnesmith@pa.gov]; Landis, Victor[vlandis@pa.gov]; ericburacker@nomaoffice.com[ericburacker@nomaoffice.com]; robertshrader@nomaoffice.com[robertshrader@nomaoffice.com]; Terry Sterner[tsterner@borough.hanover.pa.us]; mmehaffey@gfnet.com[mmehaffey@gfnet.com]; Tom Beamer[trbeamer@nomaoffice.com]
Cc: Tony Hartlaub[tonyhartlaub@millerchemical.com]; Chris Bowles[cbowles@ramboll.com]; Sarah Stoneking[SStoneking@ramboll.com]; Hilary Robinson[hrobinson@ramboll.com]
From: Jason Miller
Sent: Tue 1/12/2016 9:59:17 PM
Subject: Removal of real-time monitors in Slagle's Run upstream and downstream of the Miller Chemical site

Good afternoon,

We are sending this email to inform you that we have discontinued real-time monitoring for potassium, nitrate, and ammonium in Slagle's Run. Monitoring was discontinued in accordance with the approval we received from PADEP on December 10, 2015 to end in-stream monitoring two weeks after the completion of preliminary restoration work on off-site properties affected by the June 2015 fire on the Miller site. This restoration work was completed by December 16, and monitoring ended on January 1, 2016. We will shortly decommission the website that provides you access to the monitoring data. Please let us know if you have any follow-up requests or would like to receive a final compilation of the monitoring data.

Thank you.

Ex. 4 - CBI

Principal

D +1 703 5162307

M +1 703 2166798

Ex. 4 - CBI

Ramboll Environ
4350 North Fairfax Drive
Suite 300
Arlington, VA 22203
www.ramboll-environ.com

RAMBOLL ENVIRON

~~My email address has changed from~~

Ex. 4 - CBI

as part of the ongoing integration of Ramboll and
Ramboll Environ. Please make a note of this in your
contact records.

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to email@ramboll.com and immediately delete all copies of the message.